

# PURE PERFORMANCE

C A R B O N L E S S

**NCR PAPER\***

THE BRAND YOU KNOW  
YOU CAN TRUST

C A R B O N L E S S

**NCR PAPER\***

S U P E R I O R

C A R B O N L E S S

**NCR PAPER\***

S U P E R I O R P E R F

C A R B O N L E S S

**NCR PAPER\***

X E R O / F O R M \* H

C A R B O N L E S S


**NCR PAPER\***

S P E C I A L T I E S

SMOOTH-RUNNING, RELIABLE PERFORMANCE –  
FOR CONSISTENT QUALITY RESULTS, EVERY TIME. GUARANTEED.



APPVION



# SMOOTH-RUNNING, RELIABLE PERFORMANCE — FOR CONSISTENT QUALITY RESULTS, EVERY TIME. GUARANTEED.

**Trouble-Free Runnability | Intense Imaging | Reliable Edge Padding  
Widespread Availability | Environmentally Responsible**



**BUILT TO RUN™**



**FOR PERFECT  
SNAP-SETS™**



**FOR THE MOST  
DEMANDING  
DIGITAL JOBS™**



**FOR SPECIALIZED  
FORMS™**

## UNCONDITIONAL SATISFACTION GUARANTEE

Appvion Operations, Inc. unconditionally guarantees your satisfaction at 100%. If you are not satisfied with NCR PAPER\* brand carbonless sheets for any reason, we will help you resolve the problem, replace the product, or refund its cost. No hassles. No fine print. No conditions.

For more information, contact your local NCR PAPER\* brand merchant, call 1.800.533.9421 to reach Customer Service at Appvion Operations, Inc., or visit [appvion.com](http://appvion.com). \*NCR PAPER is a registered trademark licensed to Appvion Operations, Inc.

For a current stock list, visit [appvion.com](http://appvion.com)

## PRECOLLATED SUPERIOR Heavyweight

### Black Print

Sheet Sizes (in inches)	8½ x 11	8½ x 14	11 x 17	17½ x 22½	34½ x 22½	34½ x 28½	8½ x 11	8½ x 14	11 x 17	
<b>Collation</b>	<b>M Weight</b>									
Color	Sheets/Sets Per Carton CATALOG NUMBER						<b>40 Carton</b>	<b>30 Carton</b>	<b>40 Carton</b>	
<b>2 Part Reverse†</b>	<b>10.3 M</b>	<b>13.0 M</b>	<b>20.5 M</b>	<b>43.2 M</b>	<b>85.1 M</b>	<b>107.8 M</b>	<b>10.3 M</b>	<b>13.0 M</b>	<b>20.5 M</b>	
Canary/White	5000/2500 5887	5000/2500 5889	2500/1250 5891	1000/500 5893	1000/500 5894	1000/500 5895	5000/2500 5888	5000/2500 5890	2500/1250 5939	
Pink/White	5000/2500 5896	5000/2500 5897			1000/500 5898					
White/White	5000/2500 5899		2500/1250 4786							
<b>2 Part Straight</b>	<b>10.3 M</b>	<b>13.0 M</b>								
White/Canary	5000/2500 5914	5000/2500 5919								
<b>3 Part Reverse</b>	<b>10.5 M</b>	<b>13.4 M</b>	<b>21.0 M</b>	<b>44.2 M</b>	<b>87.2 M</b>	<b>110.4 M</b>	<b>10.5 M</b>	<b>13.4 M</b>	<b>21.0 M</b>	
Pink/Canary/White	5010/1670 5900	5010/1670 5902	2505/835 5904	1002/334 5905	1002/334 5906	1002/334 5907	5010/1670 5901	5010/1670 5903	2505/835 5940	
White/White/White	5010/1670 5908		2505/835 1488							
<b>3 Part Straight</b>	<b>10.5 M</b>	<b>13.4 M</b>	<b>21.0 M</b>	<b>44.2 M</b>	<b>87.2 M</b>					
White/Canary/Pink	5010/1670 5909	5010/1670 5910	2505/835 5911	1002/334 5912	1002/334 5913					
<b>4 Part Reverse</b>	<b>10.6 M</b>	<b>13.5 M</b>	<b>21.3 M</b>	<b>44.7 M</b>	<b>88.2 M</b>	<b>111.7 M</b>	<b>10.6 M</b>			
Gld/Pink/Can/Wht	5000/1250 5915	5000/1250 5917	2500/625 5918	1000/250 5921	1000/250 5922	1000/250 5923	5000/2500 5916			
Wht/Wht/Wht/Wht	5000/1250 5924		2500/625 1489							
<b>4 Part Straight</b>	<b>10.6 M</b>	<b>13.5 M</b>	<b>21.3 M</b>	<b>44.7 M</b>	<b>88.2 M</b>					
Wht/Can/Pink/Gld	5000/1250 5925	5000/1250 5926	2500/625 5927	1000/250 5928	1000/250 5929					
<b>5 Part Reverse</b>	<b>10.7 M</b>	<b>13.6 M</b>	<b>21.4 M</b>	<b>45.1 M</b>						
Gld/Pink/Can/ Grn/Wht	5000/1000 5930	5000/1000 5931	2500/500 5932	1000/200 5933						
<b>5 Part Straight</b>	<b>10.7 M</b>	<b>13.6 M</b>	<b>21.4 M</b>							
Wht/Grn/Can/ Pink/Gld	5000/1000 5934	5000/1000 5935	2500/500 5936							
<b>6 Part Reverse</b>	<b>10.8 M</b>									
Gld/Pk/Can/ Grn/Blu/Wht	5040/840 5938									

† Two-part reverse sequence collations may be converted to straight sequence, and vice versa, by simply removing the top CF sheet and placing it at the bottom of the ream.



## BUILT TO RUN™

- Guaranteed for offset, digital duplicator, digital and inkjet
- Exceptional runnability
- Clean and smooth running
- White and bright
- Superior Image intensity
- FSC®-Certified (FSC-C003368) products available upon request

## BUILT FOR HP INDIGO

- Engineered and certified for HP Indigo presses
- 3-star rating from RIT's HP Indigo certification program
- Guaranteed for HP Indigo Presses (5500, 3050/3500, 5000, 5600, 7000, 7500 & 7600)
- Recommended for simplex printing only
- Available in 12" x 18" sheets

\*\*\* Only parts listed in this section are optimized for HP Indigo

## SUPERIOR MAKING PROGRAM

Non-standard sizes, special collations, and other custom features are available through Appvion's Special Making Program — the most flexible in the industry.

## PARAMETERS MINIMUM ORDER

## Non-standard sheet sizes:

Standard collations and uncollated items 12 cartons

## Special Collations:

8" x 8" to 11" x 17" 12 cartons

## Special Collations:

Sizes greater than 11" x 17" 12 cartons

## QUALIFYING GRADES

CB Superior Black Print All colors

CFB Superior Black Print All colors

CF Superior All colors

Other NCR PAPER® brand grades in special collations with above CB/CFB/CF Superior items.

## SUPERIOR for HP Indigo\*\*\*

Sheet Sizes (in inches)	12 x 18
<b>Collation</b>	<b>M Weight</b>
Color	Sheets Per Carton CATALOG NUMBER
<b>Precollated</b>	
<b>2 Part Rev</b>	<b>24.3 M</b>
Canary/White	2500/1250 4567
<b>3 Part Rev</b>	<b>25.0 M</b>
Pink/Canary/White	2505/835 4568
<b>Uncollated</b>	
<b>CB Black Print</b>	
<b>21#</b>	<b>24.3 M</b>
White	2500 4499
<b>CFB Black Print</b>	
<b>23#</b>	<b>26.6 M</b>
Canary	2500 4494
<b>CF</b>	
<b>21#</b>	<b>24.3 M</b>
Canary	2500 4495
Pink	2500 4496

## SUPPORTING PRODUCTS

## Fanapart High-Strength Padding Adhesive

The industry standard in edge padding for more than 50 years. Easy to use and fast drying. Exclusively for NCR PAPER® brand.


## ITEM NO. PACKAGING

2116 16 1-qt. cans/case

2115 4 1-gal. cans/case

## UNCOLLATED SUPERIOR Heavyweight

Sheet Sizes (in inches)	8½ x 11	8½ x 14	11 x 17	17½ x 22½	34½ x 22½	34½ x 28½
<b>Collation</b>	<b>M Weight</b>					
Color	Sheets Per Carton CATALOG NUMBER					
<b>CB Black Print</b>						
<b>21#</b>	<b>10.5 M</b>	<b>13.4 M</b>	<b>21.0 M</b>	<b>44.2 M</b>	<b>87.2 M</b>	<b>110.4 M</b>
White	5000 5805	5000 5806	2500 5807	1000 5808	1000 5809	1000 5810
Canary	5000 5811	5000 5812			1000 5813	
Pink	5000 5814	5000 5815			1000 5816	
Goldenrod	5000 5817					
Green	5000 5818				1000 5820	
Blue	5000 5821	5000 5822			1000 5823	
<b>CFB Black Print</b>						
<b>22#</b>	<b>11.0 M</b>	<b>14.0 M</b>	<b>22.0 M</b>	<b>46.3 M</b>	<b>91.3 M</b>	<b>115.7 M</b>
White	5000 5824	5000 5825	2500 5826	1000 5827	1000 5829	1000 5828
White 5-hole punched across top	5000 4492					
Canary	5000 5830	5000 5831	2500 5832	1000 5833	1000 5834	1000 5835
Pink	5000 5836	5000 5837	2500 5838	1000 5839	1000 5840	1000 5841
Goldenrod	5000 5842	5000 5843			1000 5844	
Green	5000 5845	5000 5846		1000 5848	1000 5849	
Blue	5000 5851	5000 5852		1000 5853	1000 5854	
<b>CF</b>						
<b>20#</b>	<b>10.0 M</b>	<b>12.7 M</b>	<b>20.0 M</b>	<b>42.1 M</b>	<b>83.0 M</b>	<b>105.2 M</b>
White	5000 5856	5000 5857	2500 5858	1000 5859	1000 5860	1000 5861
Canary	5000 5862	5000 5863	2500 5864	1000 5865	1000 5866	1000 5867
Pink	5000 5868	5000 5869	2500 5870	1000 5871	1000 5872	1000 5873
Goldenrod	5000 5874	5000 5875	2500 5876	1000 5877	1000 5878	
Green	5000 5879	5000 5880			1000 5881	
Blue	5000 5883	5000 5884			1000 5885	




PRECOLLATED SUPERIOR PERF						
Black Print						
Sheet Sizes (in inches)	8½ x 11 Snap-Set	8½ x 11½ Snap-Set	8½ x 14½ Snap-Set	9 x 11 Snap-Set	11½ x 17 Snap-Set	8½ x 11 Snap-Set
<b>Collation</b>	<b>M Weight</b>					
Color	Sheets/Sets Per Carton					
	CATALOG NUMBER					<b>40 carton</b>
<b>2 Part Straight</b>	<b>10.3 M</b>	<b>10.7 M</b>	<b>13.5 M</b>	<b>10.9 M</b>	<b>21.4 M</b>	<b>10.3 M</b>
Canary/White	5000/2500 5949					5000/2500 5948
<b>2 Part Reverse</b>		<b>10.7 M</b>	<b>13.5 M</b>	<b>10.9 M</b>	<b>21.4 M</b>	
Canary/White		5000/2500 5787	5000/2500 5788	5000/2500 5789	2500/1250 5790	
<b>3 Part Reverse</b>		<b>11.0 M</b>	<b>13.8 M</b>	<b>11.1 M</b>	<b>22.0 M</b>	
Pink/Canary/White		5010/1670 5791	5010/1670 5792	5010/1670 5793	2505/835 5794	
<b>3 Part Straight</b>		<b>11.0 M</b>		<b>11.1 M</b>		<b>10.5 M</b>
White/Canary/Pink		5010/1670 5795		5010/1670 5796		5010/1670 5947
<b>4 Part Reverse</b>		<b>11.1 M</b>	<b>14.0 M</b>	<b>11.3 M</b>	<b>22.2 M</b>	
Gld/Pink/Can/Wht		5000/1250 5797	5000/1250 5798	5000/1250 5799	2500/625 5800	
<b>4 Part Straight</b>		<b>11.1 M</b>				
Wht/Can/Pink/Gld		5000/1250 5801				
<b>5 Part Reverse</b>		<b>11.2 M</b>	<b>14.1 M</b>	<b>11.3 M</b>		
Gld/Pink/Can/Grn/Wht		5000/1000 5802	5000/1000 5803	5000/1000 5804		

### FOR PERFECT SNAP-SETS™

- Micro-perforated NCR PAPER\* brand Superior provides one continuous smooth snap
- Product in-house snap-sets without any special equipment
- Guaranteed for offset, digital duplicator, digital, and inkjet
- Exceptional runnability
- Clean and smooth running
- White and bright
- FSC®-Certified (FSC-C003368) products available upon request

### SUPERIOR PERF MAKING PROGRAM

Qualifying grades of NCR PAPER\* brand Superior, NCR PAPER\* brand Xero/Form® II, and NCR PAPER\* brand Specialties are eligible for the micro-perfing process. The stub location can be placed in the sheet ½" to 8½". The standard stub location is ½". Contact Customer Service for specific micro-perfing requirements. Minimum order is 12 cartons.



## FOR THE MOST DEMANDING DIGITAL JOBS

- Heaviest basis weight
- OEM-approved for high-volume digital jobs
- A history of proven performance on digital equipment
- FSC®-Certified (FSC-C003368) products available upon request

## SPECIAL MAKING EXPRESS™

### Better Ideas. Custom Converting. Faster Service.

- Faster service — ten days\*\* in most markets
- 8.5" x 11"
- Flexibility and versatility to meet unusual requirements
- Saves you time and production costs
- Hole punching and micro-perfing available
- **Uncollated**  
CB - White  
CFB - White, Canary
- **Precollated**  
2 Part Reverse - Canary/White  
2 Part Straight - White/Canary  
3 Part Reverse - Pink/Canary/White  
3 Part Straight - White/Canary/Pink

\*\* Add 4 days for Canada and areas covered by Los Angeles and Portland distribution centers.

## PRECOLLATED XERO/FORM® II – BLACK PRINT

Sheet Sizes (in inches)	8½ x 11	8½ x 14	11 x 17	8½ x 11	8½ x 11½	8½ x 14½	9 x 11	11½ x 17
<b>Collation</b>	<b>M Weight</b>							
<b>Color</b>	Sheets/Sets Per Carton <b>CATALOG NUMBER</b>							
<b>2 Part Reverse</b>	<b>10.5 M</b>				<b>11.0 M</b>	<b>13.8 M</b>	<b>11.1 M</b>	<b>22.0 M</b>
Canary/White	5000/2500 4657				5000/2500 5221	5000/2500 5174	5000/2500 5229	2500/1250 5251
<b>2 Part Straight</b>	<b>10.5 M</b>	<b>13.4 M</b>	<b>21.0 M</b>	<b>10.5 M</b>				
White/Canary	5000/2500 4640	5000/2500 4646	2500/1250 4654	5000/2500 4651				
<b>3 Part Reverse</b>	<b>10.8 M</b>	<b>13.8 M</b>			<b>11.3 M</b>	<b>14.3 M</b>		<b>22.7 M</b>
Pink/Canary/White	5010/1670 4643	5010/1670 4648			5010/1670 5208	5010/1670 5176		2505/835 5164
<b>3 Part Straight</b>	<b>10.8 M</b>	<b>13.8 M</b>	<b>21.7 M</b>					
White/Canary/Pink	5010/1670 4642	5010/1670 4647	2505/835 4655					
<b>4 Part Reverse</b>	<b>11.0 M</b>				<b>11.5 M</b>			<b>23.0 M</b>
Gld/Pink/Can/White	5000/1250 4645				5000/1250 3157			2500/625 5060
<b>4 Part Straight</b>	<b>11.0 M</b>							
White/Can/Pink/Gld	5000/1250 4644							

## XERO/FORM® II MAKING PROGRAM

### Parameters | Minimum Orders

Twelve 10-ream cartons (8½" x 11" through 8½" x 14"), twelve 5-ream cartons (11" x 17"), twelve folio cartons (17½" x 22½" through 34½" x 28½") or twenty-four 5-ream cartons (8½" x 11" only) of either uncollated items or special collations.

### Qualifying Grades (Black Print)

- CB Xero/Form® II in White
- CFB Xero/Form® II in Wht/Can/Pink/Grn/Blu
- CF Xero/Form® II in White/Canary/Pink/Gold
- CF 105# Tag in Manila/White

## UNCOLLATED XERO/FORM® II

Sheet Sizes (in inches)	8½ x 11
<b>Basis Weight</b>	<b>M Weight</b>
<b>Color</b>	Sheets Per Carton <b>CATALOG NUMBER</b>
<b>CB Black Print</b>	
<b>21#</b>	<b>10.5 M</b>
White	5000 4635
<b>CFB Black Print</b>	
<b>23#</b>	<b>11.5 M</b>
White	5000 4649
White	5000
5-hole punched across top	4656

\*20# CF Superior can be substituted for Xero/Form® II CF



<b>SPECIALTIES - CF</b>			
Sheet Sizes (in inches)	8½ x 11	34½ x 22½	34½ x 28½
<b>Basis Weight</b>	<b>M Weight</b>		
Color	Sheets Per Carton CATALOG NUMBER		
<b>CF Ledgers &amp; Tags</b>			
<b>33# CF C1S Ledgers</b>	<b>16.5 M</b>	<b>137 M</b>	
Buff	2500 7187	1000 3031	
White		1000 3030	
Green Tint		1000 3034	
<b>105# Tag</b>	<b>23.0 M</b>	<b>189 M</b>	<b>239 M</b>
White	2000 2180	800 0982	600 0375
Manila	2000 2958	800 0378	

<b>SPECIALTIES - CB</b>	
Sheet Sizes (in inches)	34½ x 22½
<b>Basis Weight</b>	<b>M Weight</b>
Color	Sheets Per Carton CATALOG NUMBER
<b>CB Black Print</b>	
<b>26#</b>	<b>107.9 M</b>
White	1000 2083
<b>30#</b>	<b>124.5 M</b>
Buff	1000 3108

<b>SPECIALTIES - SC</b>		
Sheet Sizes (in inches)	8½ x 11	34½ x 22½
<b>Basis Weight</b>	<b>M Weight</b>	
Color	Sheets Per Carton CATALOG NUMBER	
<b>SC Self-contained Black Print</b>		
<b>17#</b>	<b>8.5 M</b>	<b>70.6 M</b>
White	5000 2090	1000 2091
<b>22#</b>	<b>91.3 M</b>	
White	1000 2751	
<b>SC CB Black Print</b>		
<b>16#</b>	<b>66.4 M</b>	
White	1000 2714	

## FOR SPECIALIZED FORMS™

- Customize your multi-part forms
- Choose from tags, ledgers and self-contained
- Designed specifically for offset
- FSC®-Certified (FSC-C003368) products available upon request

## SPECIALTIES MAKING PROGRAM


### Parameters | Minimum Order

Non-standard sheet sizes: Uncollated Items	12 cartons
Special Collations: 7" x 7" to 11" x 17"	12 cartons
Special Collations: Sizes Greater Than 11" x 17"	12 cartons

### Qualifying Specialty Grades\*\*

CB 26# Black Print	White
CB 30# Black Print	Buff
CF 33# C1S	White/Green Tint/Buff
CF 105# C1S	White/Manila
SC 17# Black Print	White
SC 22# Black Print	White
SC CB 16# Black Print	White

\*\* If sheet size does not trim existing stock sizes (if trim dimension exceeds 34½" or a self-contained item or grade is not listed above, contact Customer Service at 1-800-533-9421.



THE BRAND YOU KNOW  
YOU CAN TRUST



APPVION

1.800.533.9421

[appvion.com](http://appvion.com) | [teamappvion.com](mailto:teamappvion.com)



\*NCR PAPER is a registered trademark  
licensed to Appvion Operations, Inc.

©2018 Appvion Operations, Inc.  
PL-460N-CS 9/2018