


# PolyTherm® UV 190-4.1

THEME PARKS • SPORTING ARENAS • MUSEUMS • EXHIBITION CENTERS

A topcoated, synthetic thermal facestock with high durability and resistance properties, specially designed for wristband applications. This product is engineered to accept UV varnish overcoat for additional resistance, specifically for highly demanding applications such as water parks.

## ENTERTAINMENT PRODUCTS



## Key Features

- Synthetic film based-BOPP
- High strength and durability
- Water resistance
- Excellent environmental resistance
- Rich, dark images and codes
- UV curing overcoat capable

## Applications

- Wristbands
- Suitable for high-energy printers only



## PRODUCT CHARACTERISTICS

### PRELIMINARY DATA

Caliper (mils/ $\mu$ m)	4.09 $\pm$ 0.35/104 $\pm$ 10.0
Basis Weight	
17 x 22-500 (lbs)	21.8 $\pm$ 0.8
g/m <sup>2</sup>	82.0 $\pm$ 3.0

Thermal Response - Nominal	
<b>Static</b> ( $^{\circ}$ C $\pm$ 5 $^{\circ}$ )	
0.2 ODU	86
1.0 ODU	103
Maximum Density (ODU)	2.10
Temperature Required	126
<b>Dynamic</b> -Atlantek 400 (mJ/mm <sup>2</sup> )	
0.2 ODU 5.1	8.8
1.0 ODU 6.9	12.5
Maximum Density (ODU)	2.00
Energy Required	16.0

Brightness (UV Included)	>90
Gurley Stiffness Nominal (mg)	MD 79
	CD 120
Elmendorf Tear Nominal (g)	MD 44
	CD 37
Parker Print Smoothness	<1.10



Use of Appvion's thermal products in processing, equipment, end-use or other applications for which they were not intended voids all warranties.

Publication Date: June 2018 © 2018 Appvion Operations, Inc.  
Data is for reference only. May be subject to alterations.



# APPVION